



CONNECT 242



Threaded adapter

Properties

- easily and quickly fitted
- re-usable (threaded version)
- gas and liquid tight as pre-fitted version
- highly abrasion resistant
- good resistance to oil, gasoline and chemicals

- thread reference DIN ISO 228
- conforms to RoHS guideline
- REACH according to --> Technology / Technical Information / REACH

Temperature Range

- -40 °C to 90 °C

Design

- wall: special premium ether-polyurethane (Pre-PUR®)

Delivery variants

- further diameters available on request
- black (standard)
- special colours: full coloured
- gas and liquid tight as pre-fitted version

| Thread | Threading depth Hose (mm) | Thread Length (mm) | Total Length (mm) | Weight (kg/pcs) | Suitable for Hose I.D. (mm) | Order No. |
|-----------------------------------------------------------------|------------------------------|-----------------------|----------------------|--------------------|--------------------------------|---------------|
| Threaded; Suitable for Hose 350, 351, 355, 533, 341, 345 | | | | | | |
| 2,00" | 45 | 23,8 | 86 | 0,150 | 50 | 242-0050-8500 |
| 2,25" | 45 | 25,5 | 87 | 0,180 | 55 | 242-0055-8500 |
| 2,50" | 45 | 26,5 | 89 | 0,220 | 65 | 242-0065-8500 |
| 3,00" | 47 | 29,8 | 97 | 0,280 | 75 | 242-0075-8500 |
| 4,00" | 51 | 35,8 | 108 | 0,450 | 100 | 242-0100-8500 |
| 5,00" | 58 | 40 | 122 | 0,800 | 125 | 242-0125-8500 |
| 6,00" | 68 | 40 | 132 | 1,000 | 150 | 242-0150-8500 |
| Threaded; Suitable for Hose 356 | | | | | | |
| 2,00" | 45 | 23,8 | 86 | 0,150 | 50 | 242-0050-8501 |
| 3,00" | 47 | 29,8 | 97 | 0,280 | 75 | 242-0075-8501 |
| 4,00" | 51 | 35,8 | 108 | 0,450 | 100 | 242-0100-8501 |
| pre-fitted; (please select the hose separately) | | | | | | |
| 2,00" | 45 | 23,8 | 86 | 0,150 | 50 | 242-0050-8551 |

Overpressure and underpressure are recommended threshold operating values, products can be subjected to higher loads upon request. The bending radius is measured through the inside of the hose arch. The right to make technical modifications is reserved. All values determined at 20 °C and are approx. data. Additional information at www.norres.com/en/technology/.