



**Extra stable pintle hose clamp for attaching heavy-duty hoses with a smooth exterior surface**

#### Properties

- easily and quickly fitted
- re-usable
- rust protected
- very robust
- conform to RoHS guideline

#### Design, material

1. clamp band: W1 galvanised steel, W2 stainless steel 1.4016 = AISI 430, W4 stainless steel 1.4301 = AISI 304
2. screw: W1 galvanised steel, W2 stainless steel, W4 stainless steel 1.4301 = AISI 304

#### Suitable for Hose

PROTAPE®: 335 MHF FLAT, CU 335 MHF FLAT  
 AIRDUC®: 355 REINFORCED, 355 CSH, 355 CSH REINFORCED, 355 CSH ORANGE, 356, 356 MHF REINFORCED, 356 EC, 356 MHF, INOX 356 MHF, HT-PUR 356, 357  
 BARDUC®: 381, INOX 382 MHF-AS, INOX 382 MHF  
 SIL: 1+2  
 NEO: 1+2  
 NORPLAST®: 380 GREEN, 379 GREEN SUPERELASTIC, 384, CU 384, CU 386, 387, 389 SUPERELASTIC

Clamping Range	Band Width	PU	Dimensions in Stock
			Order No.
mm	mm	pcs.	W1
17-19	18	1	211-0021-0000
20-22	18	1	211-0023-0000
23-25	18	1	211-0025-0000
26-28	18	1	211-0029-0000
29-31	20	1	211-0031-0000
32-35	20	1	211-0034-0000
36-39	20	1	211-0040-0000
40-43	20	1	211-0043-0000
44-47	22	1	211-0047-0000
48-51	22	1	211-0051-0000
52-55	22	1	211-0055-0000
56-59	22	1	211-0059-0000
60-63	22	1	211-0063-0000
64-67	22	1	211-0068-0000
68-73	24	1	211-0073-0000
74-79	24	1	211-0079-0000
80-85	24	1	211-0085-0000
86-91	24	1	211-0091-0000
92-97	24	1	211-0097-0000
98-103	24	1	211-0104-0000
104-112	24	1	211-0112-0000
113-121	24	1	211-0121-0000
122-130	24	1	211-0130-0000
131-139	26	1	211-0140-0000
140-148	26	1	211-0150-0000
149-161	26	1	211-0162-0000
162-174	26	1	211-0174-0000
175-187	26	1	211-0187-0000
188-200	26	1	211-0200-0000
201-213	26	1	211-0213-0000
214-226	26	1	211-0226-0000
227-239	26	1	211-0239-0000
240-252	26	1	211-0252-0000

Clamping Range	Band Width	PU	Dimensions in Stock
mm	mm	pcs.	Order No. W2
17-19	18	1	211-0021-9200
20-22	18	1	211-0023-9200
23-25	18	1	211-0025-9200
26-28	18	1	211-0029-9200
29-31	20	1	211-0031-9200
32-35	20	1	211-0034-9200
36-39	20	1	211-0040-9200
40-43	20	1	211-0043-9200
44-47	22	1	211-0047-9200
48-51	22	1	211-0051-9200
52-55	22	1	211-0055-9200
56-59	22	1	211-0059-9200
60-63	22	1	211-0063-9200
64-67	22	1	211-0068-9200
68-73	24	1	211-0073-9200
74-79	24	1	211-0079-9200
80-85	24	1	211-0085-9200
86-91	24	1	211-0091-9200
92-97	24	1	211-0097-9200
98-103	24	1	211-0104-9200
104-112	24	1	211-0112-9200
113-121	24	1	211-0121-9200
122-130	24	1	211-0130-9200
131-139	26	1	211-0140-9200
140-148	26	1	211-0150-9200
149-161	26	1	211-0162-9200
162-174	26	1	211-0174-9200
175-187	26	1	211-0187-9200
188-200	26	1	211-0200-9200
201-213	26	1	211-0213-9200
214-226	26	1	211-0226-9200
227-239	26	1	211-0239-9200
240-252	26	1	211-0252-9200

Clamping Range	Band Width	PU	Dimensions in Stock
mm	mm	pcs.	Order No. W4
17-19	18	1	211-0021-9230
20-22	18	1	211-0023-9230
23-25	18	1	211-0025-9230
26-28	18	1	211-0029-9230
29-31	20	1	211-0031-9230
32-35	20	1	211-0034-9230
36-39	20	1	211-0040-9230
44-47	22	1	211-0047-9230
48-51	22	1	211-0051-9230
52-55	22	1	211-0055-9230
56-59	22	1	211-0059-9230
60-63	22	1	211-0063-9230
64-67	22	1	211-0068-9230
68-73	24	1	211-0073-9230
74-79	24	1	211-0079-9230
80-85	24	1	211-0085-9230
86-91	24	1	211-0091-9230
92-97	24	1	211-0097-9230

Clamping Range	Band Width	PU	Dimensions in Stock
mm	mm	pcs.	Order No. W4
98-103	24	1	211-0104-9230
104-112	24	1	211-0112-9230
113-121	24	1	211-0121-9230
122-130	24	1	211-0130-9230
131-139	26	1	211-0140-9230
140-148	26	1	211-0150-9230
149-161	26	1	211-0162-9230
162-174	26	1	211-0174-9230
175-187	26	1	211-0187-9230
188-200	26	1	211-0200-9230
201-213	26	1	211-0213-9230
214-226	26	1	211-0226-9230
227-239	26	1	211-0239-9230
240-252	26	1	211-0252-9230

Clamping Range	Band Width	PU	Dimensions in Stock
mm	mm	pcs.	Order No. W1
17-19	18	50	211-0021-9050
17-19	18	50	211-0021-9215
17-19	18	50	211-0021-9245
20-22	18	50	211-0023-9050
20-22	18	50	211-0023-9215
20-22	18	50	211-0023-9245
23-25	18	50	211-0025-9050
23-25	18	50	211-0025-9215
23-25	18	50	211-0025-9245
26-28	18	50	211-0029-9050
26-28	18	50	211-0029-9215
26-28	18	50	211-0029-9245
29-31	20	50	211-0031-9050
29-31	20	50	211-0031-9215
29-31	20	50	211-0031-9245
32-35	20	50	211-0034-9050
32-35	20	50	211-0034-9215
32-35	20	50	211-0034-9245
36-39	20	50	211-0040-9050
36-39	20	50	211-0040-9215
36-39	20	50	211-0040-9245
40-43	20	50	211-0043-9050
40-43	20	50	211-0043-9215
40-43	20	50	211-0043-9245
44-47	22	50	211-0047-9050
44-47	22	50	211-0047-9215
44-47	22	50	211-0047-9245
48-51	22	50	211-0051-9050
48-51	22	50	211-0051-9215
48-51	22	50	211-0051-9245
52-55	22	25	211-0055-9025
52-55	22	25	211-0055-9210
52-55	22	25	211-0055-9240
56-59	22	25	211-0059-9025
56-59	22	25	211-0059-9210
56-59	22	25	211-0059-9240
60-63	22	25	211-0063-9025
60-63	22	25	211-0063-9210

Clamping Range	Band Width	PU	Dimensions in Stock
mm	mm	pcs.	Order No. W1
60-63	22	25	211-0063-9240
64-67	22	25	211-0068-9025
64-67	22	25	211-0068-9210
64-67	22	25	211-0068-9240
68-73	24	25	211-0073-9025
68-73	24	25	211-0073-9210
68-73	24	25	211-0073-9240
74-79	24	25	211-0079-9025
74-79	24	25	211-0079-9210
74-79	24	25	211-0079-9240
80-85	24	25	211-0085-9025
80-85	24	25	211-0085-9210
80-85	24	25	211-0085-9240
86-91	24	25	211-0091-9025
86-91	24	25	211-0091-9210
86-91	24	25	211-0091-9240
92-97	24	25	211-0097-9025
92-97	24	25	211-0097-9210
92-97	24	25	211-0097-9240
98-103	24	25	211-0104-9025
98-103	24	25	211-0104-9210
98-103	24	25	211-0104-9240
104-112	24	25	211-0112-9025
104-112	24	25	211-0112-9210
104-112	25	25	211-0112-9240
113-121	24	25	211-0121-9025
113-121	24	25	211-0121-9210
113-121	24	25	211-0121-9240
122-130	24	25	211-0130-9025
122-130	24	25	211-0130-9210
122-130	24	25	211-0130-9240
131-139	26	10	211-0140-9010
131-139	26	10	211-0140-9205
131-139	26	10	211-0140-9235


Other diameters available on request. All values indicated here are approximate figures based on a temperature of 20 °C. Data subject to change without notice. Please also refer to our Technical Appendix on [www.norres.com](http://www.norres.com).

### Accessories



13.14.0

NORCONNECT 223



13.18.0

NORCONNECT 270-271